

SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

Page 1/4

Silicon Rubber VTV 750

Revision 0
Revision date 2012-05-08

1.1. Product identifier			
Product name	Silicon Rubber VTV 750		
1.3. Details of the supplier	of the safety data sheet		
Company	Renishaw plc		
Address	Whitebridge Way, Whitebridge Park, Stone, Staffordshire ST15 8LQ		
14/-L	United Kingdom		
Web	www.renishaw.com		
Telephone	+44 (0)1785 815651		
Fax	+44 (0)1785 812115		
Email	msds@renishaw.com		
Email address of the competent person	msds@renishaw.com		
SECTION 2: Hazards ide	entification		
2.1. Classification of the su	bstance or mixture		
Main hazards	No Significant Hazard		
2.2. Label elements			
Risk phrases	No Significant Hazard.		
SECTION 3: Composition	n/information on ingredients		
2.2 Mixtures	ininomiation on ingroductio		

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Silicone					80 - 90%)

	Characteristic. Chemical Name. Silicone.		
Further information			
No Significant Hazard	The product is classified as non hazardous.		

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	No known adverse health effects.	
Eye contact	Rinse immediately with plenty of water for 15 minutes.	
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.	
Ingestion	DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.	

Silicon Rubber VTV 750

Revision 0 8(

	Revision date 2012-05-08
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	Carbon dioxide (CO2). Dry chemical. Foam. Water spray.
5.2. Special hazards arising from	m the substance or mixture
	Carbon dioxide (CO2). Do not breathe dust or vapour. Formulation of SiO2, and CO is possible.
SECTION 6: Accidental release	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	No safety clothing required. No Significant Hazard.
6.2. Environmental precautions	
	Do not allow runoff water to enter sewers or drains. Soluble in.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handli	ng
	Avoid contact with eyes. Avoid contact with skin.

7.2. Conditions for safe storage, including any incompatibilities

Suitable packaging	Keep container tightly closed and dry. Keep container tightly closed in a cool place. Store in			
	original container.			

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Silicon Rubber VTV 750	WEL 8-hr limit ppm: No Limits	WEL 8-hr limit mg/m3: No Limits
	Identified	Identified
	WEL 15 min limit ppm: No Limits	WEL 15 min limit mg/m3: No Limits
	Identified	Identified
Silicone	WEL 8-hr limit ppm: No Limits	WEL 8-hr limit mg/m3: No Limits
	Identified	Identified
	WEL 15 min limit ppm: No Limits	WEL 15 min limit mg/m3: No Limits
	Identified	Identified

8.2. Exposure controls



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Silicon Rubber VTV 750

Revision 0
Revision date 2012-05-08

9.1. Information on basic physical and chemical properties

State Liquid Colour Colourless Odour Characteristic **Explosive** Not relevant Autoignition temperature Not relevant Melting point Not determined Freezing Point Not determined **Boiling point** Not determined **Evaporation rate** Not determined Flammability limits No data available Vapour Flammability No data available Vapour pressure No data available Oxidising No data available Vapour density No data available Viscosity No data available **Fat Solubility** No data available Partition coefficient No data available рН No data available Flash point > 100 °C = 1.1 (Water = 1 @ 20 °C) Relative density Solubility = Immiscible in water

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

10.4. Conditions to avoid

Oxidising and Acid materials.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Skin corrosion/irritation May cause irritation to eyes. May cause irritation to skin.

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

Further information

Slightly toxic to ground water. Do not allow product to enter drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods



Silicon Rubber VTV 750

Revision 0 Revision date 2012-05-08

13.1. Waste treatment metho	ds
	Waste suitable for incineration.
SECTION 14: Transport in	formation
ADR/RID	
	The product is not classified as dangerous for carriage.
IMDG	
	The product is not classified as dangerous for carriage.
IATA	
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory i	nformation
15.1. Safety, health and envir	ronmental regulations/legislation specific for the substance or mixture
Regulations	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assess	ment
	S25 - Avoid contact with eyes.
SECTION 16: Other inform	nation
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in

combination with any other materials or in any other process.

